)4-Feb-99

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 000 - 001	04-May-98	"No Power Applied" Message Displayed During Testing When Both AC And DC Voltage Is Present In ID.	I	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 000 - 002	04-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 003	06-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 004	06-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 005	06-May-98	Numerous Mini Coax Pins On The ID Are Not Assembled To Recommended Specifications.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 006	06-May-98	J4 Connector On ID Does Not Mate Properly With Cable W09 P1.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 007	06-May-98	CASS Asset Column And ID Column Requirements Do Not Agree With The Data Provided In The Test Program Instructions.	II	Closed	CPV of TPI
<b>VAST4</b> - 01 - 000 - 008	06-May-98	UUT's Are Not Transportable.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 009	06-May-98	Operator Action Is Unclear/Incomplete in Test program and TPI.	II	Closed	CPV of TPI addition
<b>VAST4</b> - 01 - 000 - 010	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 000 - 011	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 012	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 013	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 014	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 015	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 016	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 017	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 018	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 019	06-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 020	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 021	06-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 000 - 022	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval

1

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 000 - 023	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 024	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 000 - 025	11-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 01 - 001 - 001	04-May-98	TPS Not Transportable.	I	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 002	06-May-98	CASS ASSET Column And ID Column Requirements Do Not Agree With The Data Provided In The Test Program Instructions.	II	Closed	CPV of TPI
<b>VAST4</b> - 01 - 001 - 003	06-May-98	Adjustment Routine Is Deficient. Operator Action Is Unclear/Incomplete.	I	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 004	06-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 005	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 006	06-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 007	06-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 008	06-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 009	06-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 001 - 010	06-May-98	TPS Results Are Not Reapeatable.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 001 - 011	06-May-98	Fault Results Not Repeatable/Transportable.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 001 - 012	06-May-98	Operator Action Is Unclear/Incomplete InBoth Test Program And TPI.	II	Closed	CPV of TPI
VAST4 - 01 - 003 - 001	06-May-98	UUT/Station/Operator Safety.	I	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 003 - 002	06-May-98	CASS Asset Column And ID Column Is Incomplete Or Inaccurate.	II	Closed	CPV of TPI
VAST4 - 01 - 007 - 001	07-May-98	Operator Not Advised Of Voltages Present During Safe To Turn On Test.	I	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 002	07-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 003	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 004	07-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 005	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 006	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 007	07-May-98	Test Program Sequence Inconsistent/ Inefficient.	III	Closed	Corrected during Techeval.

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
<b>VAST4</b> - 01 - 007 - 008	07-May-98	Asset Column And ID Column Incomplete And Inaccurate.	II	Closed	CPV of TPI
<b>VAST4</b> - 01 - 007 - 009	07-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 010	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 007 - 011	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
VAST4 - 01 - 011 - 001	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 002	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 003	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 004	12-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 005	12-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 006	12-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 007	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 008	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 009	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 010	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 011	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 012	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 013	12-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 014	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 015	12-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 016	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 017	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 018	12-May-98	TPS Results Not Repeatable.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 019	12-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval.

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 011 - 020	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 021	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 022	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 023	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 024	12-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 025	12-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 026	13-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 027	13-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 028	13-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 029	13-May-98	TPS Results Are Not Reapeatable.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 030	13-May-98	TPS Results Are Not Reapeatable.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 031	13-May-98	TPS Results Are Not Reapeatable.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 032	13-May-98	TPS Results Are Not Reapeatable.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 033	13-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 034	13-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 035	13-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 036	13-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 037	13-May-98	Operator Action Is Unclear/Incomplete in Test Progam and TPI.	II	Closed	CPV of TPI
<b>VAST4</b> - 01 - 011 - 038	13-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 039	13-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 040	13-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 041	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 011 - 042	14-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 043	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 044	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 011 - 045	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 046	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 047	14-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 048	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 049	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 050	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 051	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 052	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 053	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 054	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 055	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 056	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 057	14-May-98	Performance Test Data Unclear.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 058	14-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 059	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 060	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 061	14-May-98	Performance Test Data Unclear.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 062	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 063	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 064	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 065	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 066	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 067	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 011 - 068	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
<b>VAST4</b> - 01 - 011 - 069	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 070	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 071	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 072	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 073	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 074	14-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 075	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 076	14-May-98	TPS Program Missing ESD Safety Message.	I	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 077	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 078	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 079	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 080	14-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 081	14-May-98	Performance Test Data Unclear.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 082	14-May-98	TPS Results Are Not Reapeatable.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 083	14-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 084	14-May-98	*OPERATOR SAFETY* Power Applied During Safe To Turn on - When Operator Is Advised That No Power Is Applied.	I	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 085	15-May-98	Inserted Fault Was Not Detected. TPS Results Are Not Repeatable.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 086	15-May-98	Inserted Fault Was Detected But Isolated Incorrectly. TPS Results Are Not Repeatable.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 087	15-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 088	15-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 089	15-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 011 - 090	15-May-98	TPS Results Are Not Reapeatable.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 017 - 001	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 017 - 002	07-May-98	CASS Asset Column And ID Column Are Not The Same As The Data Provided In The Test Program Instruction.	П	Closed	Corrected during Techeval
VAST4 - 01 - 018 - 001	07-May-98	CASS Assets And Interface Device Columns Disagree With TPI Information.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 002	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 003	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 004	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 005	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 006	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 007	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 008	07-May-98	Operator Action Is Unclear/Incomplete.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 009	07-May-98	Operator Action Is Unclear/Incomplete.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 010	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 011	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 012	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 013	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 014	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 015	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 016	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 017	07-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 018	07-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 019	07-May-98	TPS Results Are Not Reapeatable.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 020	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 021	07-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
<b>VAST4</b> - 01 - 018 - 022	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 023	07-May-98	Operator Action Is Unclear/Incomplete.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 024	07-May-98	Adjustment/Alignment routine Is Deficient.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 025	07-May-98	Source Code Is Deficient.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 026	07-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 018 - 027	07-May-98	Source Code Is Deficient.	II	Closed	Corrected during Techeval
VAST4 - 01 - 019 - 001	08-May-98	OTPS Hardware Does Not Mate Correctly With The UUT.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 002	08-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 003	08-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 004	08-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 005	08-May-98	Source Code Is Deficient.	III	Open	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 006	08-May-98	Source Code Is Deficient.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 019 - 007	08-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 019 - 008	08-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 009	08-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 010	08-May-98	CASS Asset Column Does Not Agree With TPI.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 019 - 011	08-May-98	Source Code Is Deficient.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 012	08-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 013	08-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 019 - 014	08-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 015	08-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 016	11-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 019 - 017	11-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 019 - 018	11-May-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 019	11-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.

RADR Number	Date	Deficiency Description	PART	Status	Comments
VAST4 - 01 - 019 - 020	11-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 021	11-May-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 019 - 022	11-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 023	11-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 019 - 024	11-May-98	TPS Is Not Transportable.	I	Closed	Corrected during Techeval
VAST4 - 01 - 022 - 001	11-May-98	TPS Is Not Transportable.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 002	11-May-98	Missing UUT Mounting Diagram And Instructions.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 003	11-May-98	Inappropriate Cable Length For UUT Hookup.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 004	11-May-98	ID Column And CASS Asset Column Does Not Agree With Requirement. Indicated In The T.P.I.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 005	15-Oct-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 006	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 007	15-Oct-98	Test Repeatability Function Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 008	19-Oct-98	Operator is advised "NO POWER APPLIED" when power is applied to the Unit Under Test.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 009	19-Oct-98	Operator is advised "NO POWER APPLIED" when power is applied to the Unit Under Test.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 010	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 011	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 012	19-Oct-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 013	19-Oct-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 014	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 015	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 016	19-Oct-98	Operator Action Uses Poor Grammar.	III	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 017	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 018	19-Oct-98	TPS Does Not Display Interconnect Diagram.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 019	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 022 - 020	19-Oct-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
VAST4 - 01 - 022 - 021	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 022	19-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 023	19-Oct-98	TPS Does Pass UUT Performance Test On RFI Asset.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 01 - 022 - 024	19-Oct-98	TPS Does Pass UUT Performance Test On RFI Asset.	II	Closed	Corrected during Techeval
VAST4 - 01 - 022 - 025	19-Oct-98	OTPS Connectors Are Keyed In An Indentical Manner.	II	Closed	Corrected during Techeval
VAST4 - 01 - 022 - 026	19-Oct-98	UUT Is Not Transportable.	I	Closed	Corrected during Techeval
VAST4 - 01 - 022 - 027	19-Oct-98	Graphics For Test Set Up Are Not Displayed	II	Closed	Corrected during Techeval
VAST4 - 01 - 022 - 028	19-Oct-98	Interconnection Diagram Does Not Match UUT Under Test.	II	Closed	Corrected during Techeval
VAST4 - 01 - 023 - 001	11-May-98	Self Test Assembly For Cable W18 Referred To Incorrectly In Test Program.	II	Closed	Corrected during Techeval
VAST4 - 01 - 023 - 002	11-May-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 01 - 023 - 003	11-May-98	CASS Asset column does not agree With TPI Data.	II	Closed	Corrected during Techeval
VAST4 - 01 - 097 - 001	11-May-98	Pagination Is Too Slow. (ID)	П	Open	RESPONSE="CASS ATI PROBLEM"-NG
<b>VAST4</b> - 01 - 097 - 002	11-May-98	ATE Required Resource Listing Is Not Complete Or Accurate. (ID)	II	Closed	CPV
VAST4 - 01 - 097 - 003	11-May-98	TPS Hardware Lists Is Incomplete And Inaccurate. (ID)	II	Closed	CPV
VAST4 - 01 - 097 - 004	11-May-98	WP004-00, Page 4, Hardware disconnect And Removal Instruction's Are Incomplete. (ID)	II	Closed	CPV
VAST4 - 01 - 097 - 005	11-May-98	Test Diagram Appears To Be Incorrect. (ID S/T)	II	Closed	No Change Required
VAST4 - 01 - 097 - 006	11-May-98	Test Diagram Appears To Be Incorrect.	II	Closed	Corrected during Techeval
VAST4 - 01 - 097 - 007	11-May-98	ID Drawings Incorrect.	II	Closed	No Change Required
VAST4 - 01 - 097 - 008	11-May-98	WP-002-00, Page 2, ATE Resources Required Is Incorrect. (WTC)	II	Closed	CPV
VAST4 - 01 - 097 - 009	11-May-98	TPS Hardware Requires List Incorrect.	II	Closed	CPV
VAST4 - 01 - 097 - 010	11-May-98	Acronym Presented As A Word Rather Than Our Abbreviation. (WTC)	II	Closed	No Change Required
VAST4 - 01 - 097 - 011	11-May-98	Oscillator Alignment Is Indicated But Alignment Tool Is Not Identified. (WTC)	II	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 097 - 012	11-May-98	Cable Not Indicated For Removal After Test Completed And Prior To Placing In Storage. (WTC)	П	Closed	CPV
/ <b>AST4</b> - 01 - 097 - 013	11-May-98	Total Number Of Pages Not Indicated. (WTC)	III	Open	RESPONSE="OUT OF SCOPE"-NG
<b>AST4</b> - 01 - 097 - 014	11-May-98	Acronym "ICON" Is Presented Incorrectly. (WTC)	II	Closed	No Change Required
V <b>AST4</b> - 01 - 097 - 015	11-May-98	ATE Resource List Is Incomplete. (S-3 D/B)	II	Closed	CPV
<b>AST4</b> - 01 - 097 - 016	11-May-98	OTPM, RFVA419836P01 List As Hardware Required. (S-3 D/B)	II	Closed	CPV
/ <b>AST4</b> - 01 - 097 - 017	11-May-98	Ancillary Equipment List Does Not Agree With Station RESO Requirement. (S-3 D/B)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 018	11-May-98	Acronym For "DC" Is Not Presented Properly. (S-3 D/B)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 019	11-May-98	Acronym Misuse And Probe Not Identified. (S-3 D/B)	II	Closed	No Change Required
<b>AST4</b> - 01 - 097 - 020	12-May-98	ATE Resources Required List Is Wrong As Presented. (BTCU)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 021	12-May-98	Hardware Required List Is Incomplete. (BTCU)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 022	12-May-98	S.I.D. is not complete and accurate. (BTCU)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 023	12-May-98	Removal Instructions Incomplete And Acronym Improperly Presented. (BTCU)	II	Closed	CPV
/ <b>AST4</b> - 01 - 097 - 024	12-May-98	ATE Resources Required List Is Incomplete. (RFT)	II	Closed	CPV
VAST4 - 01 - 097 - 025	12-May-98	OTPM Listed As Required Hardware. (RFT)	II	Closed	CPV
/ <b>AST4</b> - 01 - 097 - 026	12-May-98	Ground For The Test Fixture Is Not Shown On The System Interconnect Diagram (SID). (RFT)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 027	12-May-98	ATE Resource Required List Is Incomplete. (RFT)	II	Closed	CPV
/ <b>AST4</b> - 01 - 097 - 028	12-May-98	ATE Resource Listing Is Missing Required Asset. (PS)	II	Closed	CPV
V <b>AST4</b> - 01 - 097 - 029	12-May-98	Hardware List Incomplete And Software Item Included. (PS)	II	Closed	CPV
<b>AST4</b> - 01 - 097 - 030	12-May-98	ATE Resource List Is Incomplete. (RRT)	II	Closed	CPV
/ <b>AST4</b> - 01 - 097 - 031	12-May-98	Hardware List Includes The OTPM. (RRT)	II	Closed	CPV
<b>AST4</b> - 01 - 097 - 032	12-May-98	Ground For The Test Fixture Is Not Shown On The System Interconnect Diagram (SID). (RRT)	II	Closed	CPV
<b>AST4</b> - 01 - 097 - 033	12-May-98	Run Time For The UUT Is Shown With Double Question Marks. (RRT)	II	Closed	CPV

RADR Number	Date	Deficiency Description	PART	Status	Comments
<b>VAST4</b> - 01 - 097 - 034	12-May-98	Removal Of Hardware Assets Is Incomplete. (RRT)	П	Closed	CPV
<b>VAST4</b> - 01 - 097 - 035	12-May-98	ATE Resource List Disagrees With Source Documents. (RRT)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 036	12-May-98	Hardware List Is Not Accurate Or Complete. (RRT)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 037	12-May-98	Ground For The Test Fixture Is Not Shown On The System Interconnect Diagram (SID). (RRT)	П	Closed	CPV
<b>VAST4</b> - 01 - 097 - 038	12-May-98	Removal Instructions Are Incomplete. (RRT)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 039	12-May-98	Acronym "ACPSHVPP # 01" Is Not Explained Or Identified. (RRT)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 040	12-May-98	ATI Resource List Assets Not Required. (RRT)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 041	12-May-98	Hardware Listing Is Incomplete And Not Accurate. (DAC)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 042	12-May-98	Ground For The Test Fixture Is Not Shown On The System Interconnect Diagram (SID). (DAC)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 043	12-May-98	Removal Step Not Included In The Disconnect/Removal Instruction. (DAC)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 044	12-May-98	ATE Resources List Is Incomplete. (GCU)	П	Closed	CPV
<b>VAST4</b> - 01 - 097 - 045	12-May-98	Software Included On The TPS Hardware List. (GCU)	II	Closed	No Change Required
<b>VAST4</b> - 01 - 097 - 046	12-May-98	Ancillary Equipment List Is Not Complete. (GCU)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 047	12-May-98	Special Tools List Data Is Not Included On The MTPSI Card. (GCU)	II	Closed	CPV
<b>VAST4</b> - 01 - 097 - 048	12-May-98	Test Diagrams Appear To Be Presented In Reverse Order. (GCU)	П	Closed	CPV
VAST4 - 01 - 098 - 001	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 002	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 003	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 004	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 005	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 006	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 098 - 007	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 008	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 009	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 010	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 011	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 012	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 013	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 014	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 015	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 016	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 017	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 018	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 019	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 020	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 021	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 022	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 023	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 024	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 025	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 026	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 027	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 098 - 028	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 029	03-Jun-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval.
<b>VAST4</b> - 01 - 098 - 030	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 031	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 032	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 033	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 034	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 035	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 036	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 037	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 038	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 039	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 040	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 041	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 042	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 043	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 044	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 045	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 046	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 047	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 048	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 098 - 049	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 050	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 051	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 052	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 053	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 054	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 055	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 056	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 057	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	Ш	Closed	Changed to PART III deficiency.
<b>VAST4</b> - 01 - 098 - 058	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 059	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 060	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 061	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 062	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 063	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 064	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 065	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 066	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 067	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 068	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 01 - 098 - 069	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 01 - 098 - 070	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 01 - 098 - 071	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 072	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 073	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 074	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 075	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 076	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	III	Closed	Changed to PART III deficiency.
/ <b>AST4</b> - 01 - 098 - 077	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 078	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 079	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 080	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 081	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 082	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>AST4</b> - 01 - 098 - 083	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 098 - 084	09-Jul-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
/ <b>AST4</b> - 01 - 099 - 001	15-May-98	Test Results Are Not Displayed If TM1 Is Unselected.	II	Closed	Corrected during Techeval
/ <b>AST4</b> - 01 - 099 - 002	15-May-98	For Yes/No Operator Responses, Operator Is Instructed To Click TM8 Then Continue.	III	Open	RED TEAM REQ/RESPONSE=OUT OF SCOPE-NG
<b>AST4</b> - 01 - 099 - 003	15-May-98	Graphics In Combination W/ ATI Caused Station Lockup.	I	Closed	Corrected during Techeval
/ <b>AST4</b> - 01 - 099 - 004	15-May-98	Operator Is Not Instructed In The Connection Of P1-W101 And P1 W102.	II	Closed	Corrected during Techeval
/AST4 - 02 - 000 - 001	15-Oct-98	Incorrect Reference in PCOF.	II	Closed	Corrected during Techeval
VAST4 - 02 - 000 - 002	15-Oct-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval

RADR Number	Date	Deficiency Description	PART	Status	Comments
VAST4 - 02 - 000 - 003	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 004	15-Oct-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 005	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 006	15-Oct-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 007	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 008	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 009	15-Oct-98	Label Is Missing From OTPS Hardware.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 010	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 011	15-Oct-98	OTPS Cable Is Not Wired Correctly.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 012	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 013	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 014	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 000 - 015	15-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 016	22-Dec-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 000 - 017	22-Dec-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 001	22-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 002	22-Sep-98	OTPS Holding Fixture Does Not Mate Correctly With Unit Under Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 003	22-Sep-98	Operator Action Is Unclear.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 004	22-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 005	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 006	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 007	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 008	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 004 - 009	22-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 010	22-Sep-98	Operator Action Is Unclear.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 011	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 012	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 013	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	FAILED 1st REDEMO/PASSED AFTER 2nd CORRECTION
<b>VAST4</b> - 02 - 004 - 014	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 015	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 016	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	FAILED 1st REDEMO/PASSED AFTER 2nd CORRECTION
<b>VAST4</b> - 02 - 004 - 017	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 018	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 019	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 020	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 021	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 022	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
/AST4 - 02 - 004 - 023	22-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
/ <b>AST4</b> - 02 - 004 - 024	22-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 025	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 026	22-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 027	22-Sep-98	Operator Action Is Unclear.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 028	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 029	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 030	22-Sep-98	TPS Does Not Detect Inaccuracies During Testing.	III	Closed	Corrected during Techeval

VAST4 - 02 - 004 - 031		Operator Action Is Unclear.	11		
VASTA 02 004 022	22.5		II	Closed	Corrected during Techeval
VAST4 - 02 - 004 - 032	22-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 033	22-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 034	23-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 035	23-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 036	23-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 037	23-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 004 - 038	23-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
VAST4 - 02 - 005 - 001	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 002	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 003	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 004	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 005	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 006	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 007	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly/.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 008	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 009	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 010	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 011	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 012	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 013	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 014	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 015	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 005 - 016	23-Sep-98	Adjustment Routine Is Incomplete.	П	Closed	Corrected during Techeval

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
/AST4 - 02 - 005 - 017	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
/ <b>AST4</b> - 02 - 005 - 018	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
/ <b>AST4</b> - 02 - 005 - 019	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
/AST4 - 02 - 005 - 020	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
/AST4 - 02 - 008 - 001	23-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
VAST4 - 02 - 009 - 001	23-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 009 - 002	23-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 009 - 003	23-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 009 - 004	23-Sep-98	Operator Action Is Redundant.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 009 - 005	23-Sep-98	TPS Fails To Be Transportable.	I	Closed	Corrected during Techeval
/ <b>AST4</b> - 02 - 010 - 001	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 002	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 003	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 004	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 005	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 006	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 007	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 008	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 009	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	FAILED 1st REDEMO; PASSED 2nd
<b>AST4</b> - 02 - 010 - 010	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 011	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 012	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 013	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 014	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>AST4</b> - 02 - 010 - 015	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 010 - 016	24-Sep-98	Operator is advised "NO POWER APPLIED" when power is applied to the Unit Under Test.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 010 - 017	24-Sep-98	Operator is advised "NO POWER APPLIED" when power is applied to the Unit Under Test.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 010 - 018	24-Sep-98	Operator is advised "NO POWER APPLIED" when power is applied to the Unit Under Test.	I	Closed	Corrected during Techeval
VAST4 - 02 - 012 - 001	24-Sep-98	UUT Incorrectly Senses An Overtemp Condition During Performance Testing.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 012 - 002	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 012 - 003	24-Sep-98	UUT Incorrectly Senses An Overtemp Condition During Performance Testing.	II	Closed	Corrected during Techeval
VAST4 - 02 - 013 - 001	24-Sep-98	Operator Action Is Missing From Test Program.	П	Closed	REQUIRES SERD AGAINST OTPS FOR REQUIRED TOOL [P/N 5180-00-06R-2719]. Tool is p/o GPDC O&I tool kit.
<b>VAST4</b> - 02 - 013 - 002	24-Sep-98	UUT Incorrectly Senses An Overtemp Condition During Performance Testing.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 013 - 003	24-Sep-98	UUT Incorrectly Senses An Overtemp Condition During Performance Testing.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 013 - 004	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 013 - 005	13-Oct-98	Operator Action Is Missing From Test Program.	II	Closed	Corrected during Techeval
VAST4 - 02 - 014 - 001	24-Sep-98	Operator is advised "NO POWER APPLIED" when power is applied to the Unit Under Test.	I	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 014 - 002	24-Sep-98	Operator Warning Is Incorrectly Displayed Twice.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 014 - 003	24-Sep-98	Incorrect Graphics Are Displayed During Operator Action.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 014 - 004	13-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 014 - 005	13-Oct-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 014 - 006	13-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 014 - 007	13-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 015 - 001	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
VAST4 - 02 - 015 - 002	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 003	23-Sep-98	Inserted Fault Was Not Detected	II	Closed	Corrected during Techeval

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 015 - 004	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 005	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 006	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 007	23-Sep-98	Incorrect Reference On Graphics Display.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 008	23-Sep-98	CASS Displays "UNDER VOLTAGE CONDITION" During Testing Of UUT.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 009	13-Oct-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 010	13-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 011	13-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 015 - 012	13-Oct-98	TPS Performance Is Not Consistent When Transported To Different Stations.	I	Closed	Corrected during Techeval
VAST4 - 02 - 016 - 001	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 002	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 003	23-Sep-98	Adjustment Procedure In TPS Hangs Up In "Stuck-Loop" if desired value is not obtained.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 004	23-Sep-98	TPS Fails Performance Testing Intermittently.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 005	23-Sep-98	Adjustment Procedure In TPS Hangs Up In "Stuck-Loop" if desired value is not obtained.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 006	23-Sep-98	Adjustment Procedure In TPS Hangs Up In "Stuck-Loop" if desired value is not obtained.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 007	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 008	23-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 009	23-Sep-98	Adjustment Procedure In TPS Hangs Up In "Stuck-Loop" if desired value is not obtained.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 010	23-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 016 - 011	13-Oct-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 016 - 012	13-Oct-98	Inserted Faults Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 001	24-Sep-98	TPS Does Not Accurately Detect/Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 002	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
<b>VAST4</b> - 02 - 020 - 003	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 004	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 005	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 006	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 007	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 008	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 009	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 010	24-Sep-98	Test Repeatability Function Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 011	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 012	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 013	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 014	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 015	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 016	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 017	24-Sep-98	Inserted Fault Was Detected But Isolated Incorrectly.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 018	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 019	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 020	24-Sep-98	Inserted Fault Was Not Detected.	П	Open	RESPONSE=OUT OF SCOPE. PITCH INPUT TO THE A4 GYRO ASSEMBLY IS NOT TESTED.
VAST4 - 02 - 020 - 021	24-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 022	24-Sep-98	TPS Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
VAST4 - 02 - 020 - 023	24-Sep-98	Test Repeatability Function Does Not Accurately Repeat Performance Test.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 024	24-Sep-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 025	24-Sep-98	Inserted Fault Was Not Detected.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 026	13-Oct-98	Inserted Fault Was Not Detected.	II	Closed	Corrected during Techeval

RADR Number	Date	Deficiency Description	DADT	Status	Comments
ADK Number	Date	Deficiency Description	rakı	Status	Comments
<b>VAST4</b> - 02 - 020 - 027	13-Oct-98	TPS fails different performance test when transported to different serial number CASS station	I	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 028	13-Oct-98	Test Repeatability Function Does Not Accurately Repeat Performance Test.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 029	13-Oct-98	TPS does not provide the required means of securing the UUT to the CASS work surface.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 020 - 030	15-Oct-98	Test Repeatability Function Does Not Accurately Repeat Performance Test.	I	Closed	Corrected during Techeval
VAST4 - 02 - 096 - 001	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 002	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 003	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 004	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	П	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 005	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 006	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 007	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 008	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 009	05-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	II	Closed	Corrected during Techeval
<b>VAST4</b> - 02 - 096 - 010	13-Oct-98	MASTER TEST PROGRAM SET INDEX (MTPSI) CARD IS INCOMPLETE/INACCURATE.	I	Closed	Corrected during Techeval
VAST4 - 02 - 097 - 001	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	III	Open	RESPONSE=OOS
<b>VAST4</b> - 02 - 097 - 002	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 097 - 003	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 097 - 004	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 005	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 006	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 007	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 008	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 009	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 010	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 011	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 097 - 012	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 013	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 014	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 015	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 016	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 097 - 017	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 018	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 019	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 020	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 021	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 022	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 023	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 024	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 097 - 025	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 026	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 097 - 027	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 097 - 028	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 097 - 029	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	
<b>VAST4</b> - 02 - 097 - 030	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	
<b>VAST4</b> - 02 - 097 - 031	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	II	Closed	
<b>VAST4</b> - 02 - 097 - 032	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	III	Closed	
<b>VAST4</b> - 02 - 097 - 033	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	
<b>VAST4</b> - 02 - 097 - 034	05-Oct-98	TEST PROGRAM INSTRUCTION IS INCOMPLETE/INACCURATE.	П	Closed	
VAST4 - 02 - 098 - 001	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 002	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 003	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 004	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 005	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 006	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 007	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 008	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 009	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 010	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 011	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 098 - 012	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 013	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 014	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 015	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 016	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 017	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 018	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 019	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 020	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 021	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 022	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 023	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 024	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 025	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 026	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 027	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 028	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 029	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 030	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 031	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 032	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 098 - 033	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 034	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 035	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 036	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 037	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 038	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 039	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 040	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 041	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 042	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 043	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 044	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 045	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 046	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 047	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 048	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 049	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 050	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 051	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 052	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 053	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED

RADR Number	Date	Deficiency Description	PART	Status	Comments
VAST4 - 02 - 098 - 054	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 055	09-Sep-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	NO CHANGE REQUIRED
<b>VAST4</b> - 02 - 098 - 056	19-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 057	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 058	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 059	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 060	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 061	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 062	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 063	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 064	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 065	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 066	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 067	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 068	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 069	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 070	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 071	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 072	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 073	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 074	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 098 - 075	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 076	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 077	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 078	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 079	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 080	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 081	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 082	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 083	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 084	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 085	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 086	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 087	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 088	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 089	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 090	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 091	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
VAST4 - 02 - 098 - 092	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 093	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 094	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 095	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 098 - 096	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 097	23-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 098	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 099	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 100	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 101	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 102	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 103	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 104	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 105	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 106	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 107	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 108	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	II	Closed	CPV
<b>VAST4</b> - 02 - 098 - 109	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 110	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 111	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 112	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 113	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 114	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 115	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 116	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV

RADR Number	Date	<b>Deficiency Description</b>	PART	Status	Comments
VAST4 - 02 - 098 - 117	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 118	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 119	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 120	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 121	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 122	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 123	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 124	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	INVALID SM&R/DELETED REF.
<b>VAST4</b> - 02 - 098 - 125	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 126	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 127	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 128	24-Nov-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV
<b>VAST4</b> - 02 - 098 - 129	22-Dec-98	TECHNICAL DOCUMENTATION IS INCOMPLETE/INACCURATE.	П	Closed	CPV